

NEW

NETROL



S3S EN ISO 20345: 2022 S3S SR FO LG SC CI HI HRO
ASTM F2413-18 M I C PR SD100
ESD EN 61340-5-1:2016

2022 STANDARD VERSION



■ 1823 COGNAC | 36 ▶ 48

PRODUCT FEATURES



HRO +300°C
(high heat-resistance)



Sole insulation
(cold)



Sole insulation
(heat)



Non-magnetic



ESD



Leather
Water-repellent
for 7 hours



Upper
upper



Offset
heel
LG



Abrasion-resistant
stone guard



Resistance
to
hydrocarbons

EXTRAS PARADE TECHNOLOGY



Arch
support



Helps
expel
soil

- **LG LABEL: SAFE ON LADDERS (OFFSET HEEL)**
- **SC STONE GUARD**
- **ESD STANDARD**
- **HRO RUBBER OUTSOLE**

COMPOSITION

Upper	Pull-up leather
Lining	3D mesh
Toe	Composite
Insole	Mesh over ESD PU foam. Removable
Anti-puncture sole	Fabric
Sole	PU midsole / Nitrile rubber outsole
Weight size 42*	800 g *Weight per shoe

SAFETY TABLE

Toe protection (Safety toe cap)	Slip-resistance (ceramic flooring + oil)
Slip-resistance Ceramic flooring + detergent	Hydrocarbon resistance
Energy-absorbing heel	Grip system (offset heel)
Anti-static	Abrasion-resistant stone guard
Puncture-resistance Non-metallic insert Small spike test (3.0 mm)	Sole insulation (cold)
Water-repellent upper	Sole insulation (heat)
Heat-resistant outsole (up to 300°)	Electrostatic dissipation

**

Size 42	front		heel	
	Standard	Parade	Standard	Parade
Ceramic/Nals flooring (soap solution)	0.36	0.51	0.31	0.47
SR Ceramic flooring + glycerine	0.22	0.28	0.19	0.29

ENVIRONMENTAL DATA

At Parade, we carry out a life cycle analysis to measure the environmental impact of each of our models: from the extraction of raw materials, manufacturing, use, logistics, right through to the end of the product's life. Our environmental impact calculators, developed in-house using ADEME's EMPREINTE® database, have been certified by AFNOR for textiles and validated by the Eco-design Cluster* for footwear.

*The Eco-design cluster is the national centre for eco-design and life-cycle performance. Its expertise is recognised nationally and internationally by ADEME, the French Ministry of the Environment, AFNOR, ISO and the UN-environment.

CARBON FOOTPRINT

in kg CO₂ equivalent



Stage	Contribution to the carbon footprint (%)
RAW MATERIALS	60%
MANUFACTURING	24%
TRANSPORT	7%
DISTRIBUTION	4%
USE	0%
END OF LIFE	5%

WATER POLLUTION

in kg Phosphate equivalent**



Stage	Contribution to water pollution (%)
RAW MATERIALS	98%
MANUFACTURING	0%
TRANSPORT	0%
DISTRIBUTION	0%
USE	0%
END OF LIFE	1%

* Based on a size 37 for women and a size 42 for men and unisex.

▶ Packaging containing at **least 70%** recycled materials



▶ Stitching country: **India** / Assembly country: **India** / Finishing country: **India**

EXTRAS



- VPS SYSTEM Technology Supports the arch of the foot

- FLEX SYSTEM Technology Helps expel soil during propulsion

- ESD standard

- HRO label: heat-resistant outsole (up to 300°C)

- Pull-up leather with 7h moisture resistance

- Very comfortable insole with constant resilience

- Triple stitching for extra strength

- SC stone guard

- Safe on ladders (LG label)

- DGUV 112-191: Model compatible with 100% of Secosol®-orthopedic solutions